Strong bonds. Trusted solutions.	Page: 1
SAFETY DATA SHEET	Revision Date: 10/19/2022
	Print Date: 01/11/2023
	SDS Number: R1600299
LEISURE TIME SPA MINERALS	Version: 1.0
210284	

SECTION 1. IDENTIFICATION

Product identifier

Trade name : LEISURE TIME SPA MINERALS

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Pesticide

Details of the supplier of the safety data sheet Innovative Water Care, LLC 1400 Bluegrass Lakes Parkway	Emergency telephone number 1-800-654-6911 (Outside the USA:1-423-780- 2970)
Alpharetta, GA 30004 United States of America (USA)	Product Information 1-800-511-6737 (Outside the USA:1-423-780-2347)
EHSProductSafetyTeam@solenis.com	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

GHS label elements

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (%)
CALCIUM CARBONATE	471-34-1		>= 90 - <= 100

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

Strong bonds. Trusted solutions.	Page: 2
SAFETY DATA SHEET	Revision Date: 10/19/2022
	Print Date: 01/11/2023
	SDS Number: R1600299
LEISURE TIME SPA MINERALS	Version: 1.0
210284	

General advice : No hazards which require special first aid measures.

If inhaled If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact : Flush eyes with water as a precaution.

> Remove contact lenses. Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

No symptoms known or expected.

Notes to physician No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Foam

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: calcium oxide

Carbon monoxide Carbon dioxide (CO2)

Specific extinguishing

methods

: Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Strong bonds. Trusted solutions.		Page: 3
SAFETY DATA SHEET	Revision Date: 10	/19/2022
	Print Date: 01/	/11/2023
	SDS Number: R	1600299
LEISURE TIME SPA MINERALS	Vers	sion: 1.0
210284		

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Avoid dust formation.
 Avoid breathing dust.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Comply with all applicable federal, state, and local regulations.

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Take measures to prevent the build up of electrostatic charge.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid dust formation.

Container hazardous when empty.

Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on storage stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
CALCIUM CARBONATE	471-34-1	TWA (Respirable)	5 mg/m3 (Calcium carbonate)	NIOSH REL

Strong bonds. Trusted solutions.	Page: 4
SAFETY DATA SHEET	Revision Date: 10/19/2022
	Print Date: 01/11/2023
	SDS Number: R1600299
LEISURE TIME SPA MINERALS	Version: 1.0
210284	

TWA (total)	10 mg/m3	NIOSH REL
	(Calcium	
	carbonate)	

Engineering measures : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Provide appropriate exhaust ventilation at places where dust

is formed.

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Safety glasses

Skin and body protection : Wear as appropriate:

Safety shoes

Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear resistant gloves (consult your safety equipment

supplier).

Hygiene measures : Avoid breathing dust.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granular

Odour : No data available

Odour Threshold : No data available

pH : 7.0 - 9.0

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

Not applicable

Flash point : No data available

Evaporation rate : Not applicable

Strong bonds. Trusted solutions.	Page: 5
SAFETY DATA SHEET	Revision Date: 10/19/2022
	Print Date: 01/11/2023
	SDS Number: R1600299
LEISURE TIME SPA MINERALS	Version: 1.0
210284	

Flammability (solid, gas) : Not combustible Dust

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : 1.3 (68 °F / 20 °C)

Density : No data available

Solubility(ies)

Water solubility : slightly soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

Not applicable

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition

sources.

Incompatible materials : ammonium salts

aluminum salts strong mineral acids

Hazardous decomposition : calcium oxide

Strong bonds. Trusted solutions.	Page: 6
SAFETY DATA SHEET	Revision Date: 10/19/2022
	Print Date: 01/11/2023
	SDS Number: R1600299
LEISURE TIME SPA MINERALS	Version: 1.0
210284	

products Carbon monoxide

Carbon dioxide (CO2)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

CALCIUM CARBONATE:

Acute oral toxicity : LD50 (Rat): 6,450 mg/kg

Acute inhalation toxicity : LC 50 (Rat): > 3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: Not classified as acutely toxic by inhalation

under GHS. Remarks: Aerosol

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Components:

CALCIUM CARBONATE:

Result : Not irritating to skin

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks : Unlikely to cause eye irritation or injury.

Product dust may be irritating to eyes, skin and respiratory

system.

Components:

CALCIUM CARBONATE:

Result : Not irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

SOLENIS Strong bonds. Trusted solutions.	Page: 7
SAFETY DATA SHEET	Revision Date: 10/19/2022
	Print Date: 01/11/2023
	SDS Number: R1600299
LEISURE TIME SPA MINERALS	Version: 1.0
210284	

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Acute aquatic toxicity Category 1; Very toxic to aquatic life.

Chronic aquatic toxicity : Chronic aquatic toxicity Category 1; Very toxic to aquatic life

with long lasting effects.

Components:

CALCIUM CARBONATE:

Toxicity to fish : LC50 (Gambusia affinis (Mosquito fish)): > 56,000 mg/l

Exposure time: 96 h Test Type: static test

Strong bonds. Trusted solutions.	Page: 8
SAFETY DATA SHEET	Revision Date: 10/19/2022
	Print Date: 01/11/2023
	SDS Number: R1600299
LEISURE TIME SPA MINERALS	Version: 1.0
210284	

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological

information

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

SOLENIS. Strong bonds. Trusted solutions.	Page: 9
SAFETY DATA SHEET	Revision Date: 10/19/2022
	Print Date: 01/11/2023
	SDS Number: R1600299
LEISURE TIME SPA MINERALS	Version: 1.0
210284	

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

CALCIUM CARBONATE 471-34-1

New Jersey Right To Know

CALCIUM CARBONATE 471-34-1

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Exempt

AIIC : On the inventory, or in compliance with the inventory

DSL : Exempt

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

Strong bonds. Trusted solutions.	Page: 10
SAFETY DATA SHEET	Revision Date: 10/19/2022
	Print Date: 01/11/2023
	SDS Number: R1600299
LEISURE TIME SPA MINERALS	Version: 1.0
210284	

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TSCA list

Exempt- This product is exempt from Significant New Use Rule requirements. See information under Biocides for product registration information."

Exempt-This product is exempt from TSCA 12(b) requirements. See information under Biocides for product registration information."

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 10/19/2022

Full text of other abbreviations

NIOSH REL : USA. NIOSH Recommended Exposure Limits

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-

SOLENIS, Strong bonds. Trusted solutions.	Page: 11
SAFETY DATA SHEET	Revision Date: 10/19/2022
	Print Date: 01/11/2023
	SDS Number: R1600299
LEISURE TIME SPA MINERALS	Version: 1.0
210284	

Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet
Key literature references and sources of data
SOLENIS Internal data
SOLENIS internal data including own and sponsored test reports
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN